

[PRIVYID] API Documentation API Signing non RA v1.1 - Placement Signature

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

Document History

Date	Document Version	Description
June 09, 2021	1.0	General API Documentation
September 09, 2021	1.1	Edit endpoint from sandbox to staging and edit response

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

Table of Contents

Request Information	3
API Reference	4
Registration	4
Check Registration Status	10
Create User Token	15
Request OTP	17
OTP Verification	19
Upload Document	21
Signing	31
Check Document Status	35
Callback	39
Callback Event Registration Status	39
Callback Event Document Status	45

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

A. Request Information

Endpoint

Development	https://stg-core.privy.id/v1/merchant
Production	https://core.privy.id/v1/merchant

Authentication

Using the authorization type: Basic Auth

username	username
password	password

Header of Request

Parameter's name	Description	Required
Merchant-Key	Merchant Unique Key	Yes
Content-Type	form-data	Yes

Postman Collection

<https://www.getpostman.com/collections/2bf75f751f3eee2998b0>

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

B. API Reference

1. Registration

REQUEST

Method: POST

Development	https://stg-core.privy.id/v1/merchant/registration
Production	https://core.privy.id/v1/merchant/registration

BODY OF REQUEST

Parameter's name	Type	Example	Description
email*	String	user@usermail.com	User's email
phone*	String	08233324223	User's phone number
selfie*	File	ExampleSelfie.png	Face close up photo of Registrant on image format (.png/ .jpg/ .jpeg)
ktp*	File	ExampleKTP.png	User's identity card on image format (.png/ .jpg/ .jpeg)
identity*	String	{ "nama": "Bambang Test", "nik": "1234123412341234", "tanggalLahir": "1993-02-02" }	Registrant's identity

* : Required

RESPONSE PARAMETER

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

Parameter's name	Type	Description
code	String	HTTP Status Code
data	Object[]	User's information
email	String	User's email
phone	String	User's phone
userToken	String	User's random token generated from Privy system
status	String	User's status. Value : verified or registered
message	String	Message of Response

Response

1. Success

```
{
  "code": 201,
  "data": {
    "email": "user@usermail.com",
    "phone": "+628233324223",
    "userToken":
"f0bed10b96b82c73168f997c27b3ed1d8c0849d1ad8cb10c2dd1c72b1a202c7c",
    "status": "waiting"
  },
  "message": "Waiting for Verification"
}
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		Date: 09 June 2021
			<i>Restricted Document</i>

2. Blank email/phone

```
{
  "code": 422,
  "errors": [
    {
      "field": "email",
      "messages": [
        "cannot be blank"
      ]
    }
  ],
  "message": "Validation(s) Error"
}
```

3. Blank KTP

```
{
  "code": 422,
  "errors": [
    {
      "field": "ktp",
      "messages": [
        "cannot be blank",
        "Image not readable"
      ]
    }
  ],
  "message": "Validation(s) Error"
}
```

4. Blank selfie

```
{
  "code": 422,
  "errors": [
    {
      "field": "selfie",
      "messages": [
        "is required",
        "cannot be blank"
      ]
    }
  ],
  "message": "Validation(s) Error"
}
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

5. Invalid email/phone

```
{
  "code": 422,
  "errors": [
    {
      "field": "email",
      "messages": [
        "invalid email"
      ]
    }
  ],
  "message": "Validation(s) Error"
}
```

6. Blank Identity NIK

```
{
  "code": 422,
  "errors": [
    {
      "field": "identity.nik",
      "messages": [
        "can't be blank",
        "must be valid 16 digit",
      ]
    }
  ],
  "message": "Validation(s) Error"
}
```

7. Invalid Identity NIK

```
{
  "code": 422,
  "errors": [
    {
      "field": "identity.nik",
      "messages": [
        "NIK must be a 16 digit number"
      ]
    }
  ],
  "message": "Validation(s) Error"
}
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		Date: 09 June 2021
			<i>Restricted Document</i>

8. Blank or Invalid Identity Nama

```
{
  "code": 422,
  "errors": [
    {
      "field": "identity.nama",
      "messages": [
        "is too short (minimum is 3 characters)",
      ]
    }
  ],
  "message": "Validation(s) Error"
}
```

9. Invalid format of KTP and Selfie

```
{
  "code": 422,
  "errors": [
    {
      "field": "ktp",
      "messages": [
        "file must be image png"
      ]
    }
  ],
  "message": "Validation(s) Error"
}
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

10. Already register but still in a verification process

```
{
  "code": 422,
  "errors": [
    {
      "field": "email",
      "messages": [
        "Email user@example.com has been registered, is still a
verification process"
      ]
    },
    {
      "field": "phone",
      "messages": [
        "Phone 08233324223 has been registered, is still a
verification process"
      ]
    }
  ],
  "message": "Validation(s) Error"
}
```

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00 Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	<i>Restricted Document</i>

2. Check Registration Status

REQUEST

Method: POST

Development	https://stg-core.privy.id/v1/merchant/registration/status
Production	https://core.privy.id/v1/merchant/registration/status

BODY OF REQUEST

Parameter's name	Type	Example	Description
token*	String	0316a5332d05e5eb86a93ce13608252753e7f2b808c7e5739d8cb340a62acd9d	User's token from Registration API

* : Required

RESPONSE PARAMETER

Parameter's name	Type	Description
code	String	HTTP Status Code
data	Object[]	User's information
email	String	User's email
phone	String	User's phone
data	Object[]	
privyId	String	User's PrivyID
userToken	String	User's random token generated from Privy system
status	String	User's status. Value : waiting, rejected, verified, rejected
identity	Object[]	User's identity based on his/her ID Card
nama	String	User's name

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

nik	String	User's identity number
tanggalLahir	String	User's birthdate
tempatLahir	String	User's birthplace
message	String	Message of response

Note :

User Status

1. **Waiting** : user is waiting to be verified
2. **Invalid** : user is rejected by privy and can be verified if user sends supporting data
3. **Rejected** : user is rejected by privy and cannot be verified again, because the document sent does not meet the requirements. User need to register again with another document or another identity card.

Example reason with rejected status : identity card can be found on the internet, ID number on identity card and supporting document (family card) not found.

4. **Verified** : user has been successfully verified by privy
5. **Registered** : user has been registered on privy

Response

1. Success – waiting

```
{
  "code": 201,
  "data": {
    "email": "user@usermail.com",
    "phone": "08233324223",
    "userToken":
"0316a5332d05e5eb86a93ce13608252753e7f2b808c7e5739d8cb340a62acd9d",
    "status": "waiting"
  },
  "message": "Waiting for Verification"
}
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

2. Success – rejected

```
{
  "code": 201,
  "data": {
    "privyId": null,
    "email": "user@usermail.com",
    "phone": "08233324223",
    "processedAt": "2019-06-24 14:45:58 +0700",
    "userToken":
"0316a5332d05e5eb86a93ce13608252753e7f2b808c7e5739d8cb340a62acd9d",
    "status": "rejected",
    "reject": {
      "code": "PRVM001",
      "reason": "Email telah terdaftar dengan NIK yang berbeda"
      "handler": []
    }
  },
  "message": "Data Rejected"
}
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2 021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

3. Success – verified

```
{
  "code": 201,
  "data": {
    "privyId": "BA9999",
    "email": "user@usermail.com",
    "phone": "08233324223",
    "processedAt": "2019-06-24 14:45:58 +0700",
    "userToken":
"0316a5332d05e5eb86a93ce13608252753e7f2b808c7e5739d8cb340a62acd9d",
    "status": "verified",
    "identity": {
      "nama": "Bambang Test",
      "nik": "1234123412341234",
      "tanggalLahir": "1980-11-11",
      "tempatLahir": "Bogor"
    }
  },
  "message": "Data Verified"
}
```

4. Success – registered

```
{
  "code": 201,
  "data": {
    "privyId": "BA9999",
    "email": "user@usermail.com",
    "phone": "08233324223",
    "processedAt": "2019-06-24 14:45:58 +0700",
    "userToken":
"0316a5332d05e5eb86a93ce13608252753e7f2b808c7e5739d8cb340a62acd9d",
    "status": "registered",
    "identity": {
      "nama": "Bambang Test",
      "nik": "1234123412341234",
      "tanggalLahir": "1980-11-11",
      "tempatLahir": "Bogor"
    }
  },
  "message": "Data has been Registered"
}
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

5. Success - Invalid

```
{
  "code": 201,
  "data": {
    "privyId": null,
    "email": "user@usermail.com",
    "phone": "08233324223",
    "processedAt": "2019-06-24 14:45:58 +0700",
    "userToken":
"0316a5332d05e5eb86a93ce13608252753e7f2b808c7e5739d8cb340a62acd9d",
    "status": "invalid",
    "reject": {
      "code": "PRVK002",
      "reason": "Foto KTP yang diunggah tidak dapat dibaca
(mis. gambar kabur, kecil, dll.)",
      "handler": [
        {
          "category": "KTP",
          "handler": "Foto KTP/Resi e-KTP/e-KTP Asli",
          "file support": []
        }
      ]
    },
    "message": "Data has been Registered"
  }
}
```

6. Invalid userToken

```
{
  "code": 404,
  "errors": [],
  "message": "Unable to find userToken wR0nGuS3rT0kEn"}
}
```

7. Blank userToken

```
{
  "code": 422,
  "errors": [
    {
      "field": "token",
      "messages": [
        "cannot be blank"
      ]
    }
  ],
  "message": "Validation(s) Error"}
}
```

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

3. Create User Token

REQUEST

Method: POST

Development	https://stg-core.privv.id/v1/merchant/user-token/token
Production	https://core.privv.id/v1/merchant/user-token/token

BODY OF REQUEST

Parameter's name	Type	Example	Description
privyId*	String	BA9999	User's privyId

*: Required

Response

1. Success

```
{
  "code": 201,
  "data": {
    "token":
    "eyJhbGciOiJSUzI1NiJ9.eyJpYXQiOiJlNTQzNzY4MzIsInN1YiI6IjBhOGRmZmNhmGM4NGIwZTUzN2M3YjBjYTg0NDhhY2Y2YTxyNTJlZjJkMWJiNTUxMWVxMDMxYTlmNDcyYThkZTYkZG9RWHgwNnRCZDdzbUg0NjIwRHJhWm9lQ3FRczhOaE9sLzdXQkVlOEVSZ1g2dTJMNnQ1eTN1bENQdCtVOSsveG9IVFd5TTZJMzJKZmVPcXZPY3lWTnRiazZUWHNXeXZzdk45RHplOWltYzdLT2ZCUjNENnJmSlhMb1hub0ZVZ29QUmMrMFJyNDRwZUVNWDB4K2xBSFYtLXFWT1M2Q1hJWVJEaVBDZ2ItLVFMVnBVWk1Nd011WjNVRlNFSms0eVE9PSIsImV4cCI6MTU1NDQ2MzIzMn0uHXzQdtVqaMllyOF5HKOwU3OrRy55vz9JQw6sVnx_DK0jRf_UkQ05Xt9mlTKXJ2y3CntTqmWmeXcq-etH6foQn9fo4KQA3Dg8s0riQazkp_wvCrBXZNojhk-LBPPPEhztr_cnTRIso79wHt9CPmSfZ7mVRc56c_1nlUqv9SJkh4",
    "expired_at": "2019-04-06T18:20:32.000+07:00",
    "created_at": "2019-04-04T18:20:32.000+07:00"
  },
  "message": "User token successfully created"
}
```

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2 021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

2. Error PrivyID not Found

```
{
  "code": 422,
  "errors": [
    {
      "field": "privyId",
      "messages": [
        "Cannot find privyid US3254"
      ]
    }
  ],
  "message": "Validation(s) Error"
}
```

3. Error PrivyID Blank

```
{
  "code": 422,
  "errors": [
    {
      "field": "privyId",
      "messages": [
        "cannot be blank"
      ]
    }
  ],
  "message": "Validation(s) Error"
}
```

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00 Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	<i>Restricted Document</i>

4. Request OTP

REQUEST

Method: POST

Development	https://stg-core.privy.id/v1/merchant/user-token/otp-request
Production	https://core.privy.id/v1/merchant/user-token/otp-request

Header of Request

Parameter's name	Description	Description
Merchant-Key	Merchant Unique Key	
Token	eyJhbGciOiJSUzI1NiJ9.eyJpYXQiOiJlNTQzNzY4MzIsInN1YiI6IjBhOGRmZmNhMGM4NGIwZTUzN2M3YjBjYTg0NDhhY2Y2YTYxNTJlZjJkMWJiNTUxMWVkdMDMxYTlmNDcyYThkZTYkZG9RWHgwNnRCZDdzUg0NjIwRHJaWm9lQ3FRczhOaE9sLzdXQkV1OEVSZ1g2dTJMNnQleTNlbENQdCtvOSsveG9IVFd5TTZJMzJKZmVPcXZPY3lWTnRiazZUWHNXeXZZdk45RHplOWltYzdLT2ZCUjNENnJsSlhMb1hub0ZVZ29QUmMrMFJyNDRwZUVNWDB4K2xBSFYtLXFWT1M2Q1hJWVJEaVBDZ2ItLVFMVnBVWk1Nd011WjNVRlNFSms0eVE9PSIsImV4cCI6MTU1NDQ2MzIzMn0.HXzQdtVqaMllyOF5HKoWuM3orRy55vz9JQw6sVnx_DK0jRf_UkQ05Xt9mlTKXJ2y3CntTqmWmeXcq-etH6foQn9fo4KQA3Dg8s0riQazkp_wvCrBXZNojhk-LBPPPehtzR_cnTRIso79wHt9CPmSfZ7mVRc56c_1nlUqv9SJkh4	User token obtained from api create user token

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

Response

1. Success

```
{
  "code": 201,
  "data": {},
  "message": "OTP sent to +628967032xxxx"
}
```

2. Error - Invalid or expired token

```
{
  "code": 404,
  "errors": [],
  "message": "Unauthorized. Invalid or expired token."
}
```

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

5. OTP Verification

REQUEST

Method: POST

Development	https://stg-core.privy.id/v1/merchant/user-token/otp-confirm
Production	https://core.privy.id/v1/merchant/user-token/otp-confirm

Header of Request

Parameter's name	Description	Description
Merchant-Key	Merchant Unique Key	
Token	eyJhbGciOiJIUzI1NiJ9.eyJpYXQiOiJlNTQzNzY4MzIsInN1YiI6IjBhOGZmZmNhMGY4NGIwZTUzN2M3YjBjYTg0NDhhY2Y2YTYxNTJlZjJkMWJiNTUxMWVkdMDMxYTlmNDcyYThkZTYkZG9RWHgwNnRCZDdzbUg0NjIwRHJaWm9lQ3FRczhOaE9sLzdXQkV1OEVSZlg2dTJMNnQleTN1bENQdCtvOSsveG9IVFd5TTZJMzJKZmVpcXZPY3lWTnRiazZUWHNXeXZZdk45RHplOWltYzdLT2ZCUjNENnJmS1hMb1hub0ZVZ29QUmMrMFJyNDRwZUVNWDB4K2xBSFYtLXFwT1M2Q1hJWVJEaVBDZ2ItLVFMVnBVWk1Nd011WjNVRlNFSms0eVE9PSIsImV4cCI6MTU1NDQ2MzIzMn0.HXzQdtVqaMl1YOF5HKoWuM3orRy55vz9JQw6sVnx_DK0jRf_UkQ05Xt9mlTKXJ2y3CntTqmWmeXcq-etH6foQn9fo4KQA3Dg8s0riQazkp_wvCrBXZNojhk-LBPPPehtzR_cnTRIso79wHt9CPmSfZ7mVRc56c_1nlUqv9SJkh4	User token obtained from api create user token

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

Body of Request

Parameter's name	Type	Example	Description
code*	String	34567	5 digit number sent to user's phone number

*: Required

Response

1. Success

```
{
  "code": 201,
  "data": {},
  "message": "OTP Verification success"
}
```

2. Error - Invalid or expired token

```
{
  "code": 401,
  "errors": [],
  "message": "Unauthorized. Invalid or expired code OTP."
}
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

6. Upload Document

REQUEST

Method: POST

Development	https://stg-core.privy.id/v3/merchant/document/upload
Production	https://core.privy.id/v3/merchant/document/upload

Header of Request

Parameter's name	Description	Required
Merchant-Key	Merchant Unique Key	Yes
Content-Type	form-data	Yes

BODY OF REQUEST

Parameter's name	Type	Example	Description
documentTitle*	String	Example Title	Document title
docType*	String	Serial	Document workflow. Value : Serial, Parallel
owner*	String	{ "privyId": "AB1234", "enterpriseToken": "41bc84b42c8543daf448 d893c255be1dbdcc722e" }	Document owner. Contains privyId and enterpriseToken, enterpriseToken on example column can be used for Development Environment. Every merchant has their own enterpriseToken and use them in Production Environment.
document*	File	Exampledoc.pdf	Document with pdf format.
recipients*	Object[]	[{	Recipients list.

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2 021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

		<pre> "email": "example@mail.com", "type": "Signer", "enterpriseToken": "" }, { "privyId": "AA0011", "type": "Approver", "enterpriseToken": "41bc84b42c8543daf448 d893c255be1dbdcc722e" }, { "privyId": "BB0011", "type": "Signer", "enterpriseToken": "" }] </pre>	Type can be : Signer, Reviewer, Approver If the document type is Serial, the signing or reviewing process will be based on the order of recipients. Note: - You can share the document by input the recipient's email. The type of this recipient is only signer / reviewer. Leave the enterpriseToken blank because if you share the document to the recipient's email he can only accept documents on his personal account. - You must fill in the enterprise token if the recipient type is approver because the role approver is only for enterprise documents.
templateId	String	AB1234	Fill with templateId. TemplateId is an autosign template identifier. note: This parameter is required if you want to use an autosign service.

* : Required

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00 Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	<i>Restricted Document</i>

Notes:

1. "enterpriseToken" in parameter `recipients` refer to user's EnterpriseID account token which can be acquired by registering user's Company.
2. **Document workflow :**
 - **Serial** : the signing or reviewing process will be based on the order of recipients.
 - **Parallel** : signer or reviewer can sign the document without having to wait for a previous one.

RESPONSE PARAMETER

Parameter's name	Type	Description
code	String	HTTP Status Code
data	Object[]	
docToken	String	Document token, generated by Privy system
urlDocument	String	Document link to sign or view
recipients	Object[]	Recipients list
privyId	String	User's privyId
type	String	Recipient's role on the document (Signer, Reviewer, Approver), case sensitive.
enterpriseToken	String	Merchant's token
message	String	Message of response

Note :

- Merchant can add autofill PrivyID to the document URL that will be given to the user
`urlDocument?x=100&y=100&page=1&privyId={{privyId}}`
 example :
<https://stg-sign.privy.id/doc/4b7834b797bdc12047795a15e08860639668b03025121326ae4534934f8879b6?x=100&y=100&page=1&privyId=TES001>

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

Response

1. Success

```
{
  "code": 201,
  "data": {
    "docToken":
"a40aa1708c7365886d4dc77de497644f64a3fd15787638f213bb54e5fbce502e"
,
    "urlDocument":
"https://stg-sign.privy.id/doc/a40aa1708c7365886d4dc77de497644f64a3fd15787638f213bb54e5fbce502e",
    "recipients": [
      {
        "email": "example@mail.com",
        "type": "Signer",
        "enterpriseToken": null
      },
      {
        "privyId": "AA0011",
        "type": "Approver",
        "enterpriseToken":
"41bc84b42c8543daf448d893c255be1dbdcc722e"
      },
      {
        "privyId": "BB0011",
        "type": "Signer",
        "enterpriseToken": null
      }
    ]
  },
  "message": "Document successfully upload and shared"
}
```

2. Error – Invalid format of document

```
{
  "code": 422,
  "errors": [
    {
      "field": "document",
      "messages": [
        "file must be pdf"
      ]
    }
  ]
}
```

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2 021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

```

    }
  ],
  "message": "Validation(s) Error" }

```

3. Error – Invalid PrivyID

```

{
  "code": 422,
  "errors": [
    {
      "field": "recipients.1.privyId",
      "messages": [
        "privyId AA0011 not found"
      ]
    }
  ],
  "message": "Validation(s) Error"
}

```

4. Invalid email

```

{
  "code": 422,
  "errors": [
    {
      "field": "recipients.0.email",
      "messages": [
        "Make sure that you insert the correct email format"
      ]
    }
  ],
  "message": "Validation(s) Error"
}

```

5. If you share the document to the recipient's email but fill the enterpriseToken.

- if you share the document to the recipient's email he can only accept documents on his personal account.

```

{
  "code": 422,
  "errors": [
    {
      "field": "recipients.0.enterpriseToken",
      "messages": [
        "Invalid enterprise on recipient number #1"
      ]
    }
  ],
  "message": "Validation(s) Error"
}

```

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

```
}
```

6. If you share the document to the recipient's email but fill the type with "approver".

- if you share the document to the recipient's email you cannot fill the type with "approver" because the type of this recipient is only **signer / reviewer**.

```
{
  "code": 422,
  "errors": [
    {
      "field": "recipients.0.enterpriseToken",
      "messages": [
        "enterpriseToken or enterpriseId is required for recipient
type Approver"
      ]
    },
    {
      "field": "recipients.0.enterpriseId",
      "messages": [
        "enterpriseToken or enterpriseId is required for recipient
type Approver"
      ]
    }
  ],
  "messages": "Validation(s) Error"
}
```

7. Invalid type on recipient list

```
{
  "code": 422,
  "errors": [
    {
      "field": "recipients.0.type",
      "messages": [
        "Only fill with Signer or Reviewer"
      ]
    }
  ],
  "message": "Validation(s) Error"
}
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

8. Owner PrivyID did not registered in that enterprise

```
{
  "code": 422,
  "errors": [
    {
      "field": "owner.privyId",
      "messages": [
        "privyId AB1234 not found"
      ]
    }
  ],
  "messages": "Validation(s) Error"
}
```

9. Invalid enterprise token / the user is not associated with the enterprise

```
{
  "code": 422,
  "errors": [
    {
      "field": "recipients.1.enterpriseToken",
      "messages": [
        "Invalid enterprise on recipient number #1"
      ]
    }
  ],
  "messages": "Validation(s) Error"
}
```

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

10. If you do not fill in the enterpriseToken when the recipient's type is "approver".
- (You must fill in the enterprise token if the recipient type is **approver** because the role approver is only for enterprise documents)

```
{
  "code": 422,
  "errors": [
    {
      "field": "recipients.1.enterpriseToken",
      "messages": [
        "enterpriseToken or enterpriseId is required for recipient
type Approver"
      ]
    },
    {
      "field": "recipients.1.enterpriseId",
      "messages": [
        "enterpriseToken or enterpriseId is required for recipient
type Approver"
      ]
    }
  ],
  "messages": "Validation(s) Error"
}
```

11. Blank Owner's privyId

```
{
  "code": 422,
  "errors": [
    {
      "field": "owner.privvyId",
      "messages": [
        "cannot be blank",
        "privvyId not found",
      ]
    }
  ],
  "messages": "Validation(s) Error"
}
```

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

7. Signing

REQUEST

Method: POST

Development	https://stg-core.privy.id/v2/merchant/document/multiple-signing
Production	https://core.privy.id/v2/merchant/document/multiple-signing

Header of Request

Parameter's name	Description	Description
Merchant-Key	Merchant Unique Key	
Token	eyJhbGciOiJSUzI1NiJ9.eyJpYXQiOiJlNTQzNzY4MzIsInN1YiI6IjBhOGRmZmNhMGM4NGIwZTUzN2M3YjBjYTg0NDhhY2Y2YTYxNTJlZjJkMWJiNTUxMWVkbMDMxYTlmNDcyYThkZTYkZG9RWHgwNnRCZDdzbUg0NjIwRHJaWm9lQ3FRczhOaE9sLzdXQkVlOEVSZlg2dTJMNnQleTN1bENQdCtVOSsveG9IVFd5TTZJMzJKZmVPcXZPY3lWTnRiazZUWHNXeXZZdk45RHplOWltYzdLT2ZCUjNENnJmSlhMb1hub0ZVZ29QumMrMFJyNDRwZUVNWDB4K2xBSFYtLXFwTlM2Q1hJWVJEaVBDZ2ItLVFMVnBVWk1Nd01lWjNVRlNFSms0eVE9PSIsImV4cCI6MTU1NDQ2MzIzMn0uHXzQdtVqaM1lYOF5HKOwUM3orRy55vz9JQw6sVnx_DK0jRf_UkQ05Xt9mlTKXJ2y3CntTqmWmeXcq-etH6foQn9fo4KQA3Dg8s0riQazkp_wvCrBXZNojhk-LBPPPehztR_cnTRIso79wHt9CPmSfZ7mVRc56c_1nlUqv9SJkh4	User token obtained from api create user token

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

BODY OF REQUEST

Note: use RAW JSON

```
{
  "documents": [
    {
      "docToken":
"20c3f9a21e4018b180a78207085d90e269f64595c5166f2a507402be645508a7",
      "x": "200",
      "y": "150",
      "page": "1"
    }
  ],
  "signature": {
    "visibility": true
  }
}
```

Noted:

1. Parameters “x”, “y”, and “page” are editable, it defines the position where the signature will be placed.
2. **“Visibility: true”** defines that the signature will appear in the document.
3. **“Visibility: false”** defines that the signature will not appear in the document.

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

RESPONSE PARAMETER

Parameter's name	Type	Description
code	String	HTTP Status Code
data	Object[]	Information
document	Object[]	The document information
docToken	String	The document token
title	String	The document title
documentStatus	String	The document status. Value : Completed
message	String	Message of response

RESPONSE

1. Success

```
{
  "code": 201,
  "data": {
    "document": [
      {
        "docToken":
"20c3f9a21e4018b180a78207085d90e269f64595c5166f2a507402be645508a7",
        "title": "Doc Coba"
      }
    ],
    "documentStatus": "Completed"
  },
  "message": "Document successfully sign"
}
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

2. Invalid document token

```
{
  "code": 422,
  "errors": [
    {
      "field": "documents.0.docToken",
      "messages": [
        "invalid docToken"
      ]
    }
  ],
  "message": "Validation(s) Error"
}
```

3. Invalid user token

```
{
  "code": 404,
  "errors": [],
  "message": "Unauthorized. Invalid or expired token."
}
```

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00 Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	<i>Restricted Document</i>

8. Check Document Status

REQUEST

Method: GET

Development	https://stg-core.privy.id/v1/merchant/document/status/:docToken
Production	https://core.privy.id/v1/merchant/document/status/:docToken

PARAMS REQUEST

Parameter's name	Type	Example	Description
docToken*	String	e9749bef897b0594c16d63f61fdab00c264cae27b2919241dc04f1331b47dc44	Document token from Upload API

* : Required

RESPONSE PARAMETER

Parameter's name	Type	Description
code	String	HTTP Status Code
data	Object[]	
title	String	Document's title
docToken	String	Document token, generated by Privy system
recipients	Object[]	Recipient list
privyId	String	User's privyId
type	String	Recipient's role on the document (Signer and Reviewer)
signatoryStatus	String	Recipient's status. Value : Completed
signedAt	String	Document signatory time
documentStatus	String	Document status. Value : Completed
urlDocument	String	Link to signing document

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

download	Object[]	
url	String	Link to view or download original and signed document
expiredAt	String	URL validity time
message	String	Message of response

Response

1. Success – Completed Document

```
{
  "code": 200,
  "data": {
    "title": "Example Title",
    "docToken":
"9fc38ba11a7997af89afa7ba25e292174085e6ca407e363dd8a9f5d0f64f23ba"
  },
  "recipients": [
    {
      "privyId": "UAT001",
      "type": "Approver",
      "signatoryStatus": "Completed",
      "signedAt": "2021-09-10T13:11:28.000+07:00"
    },
    {
      "privyId": "UAT002",
      "type": "Signer",
      "signatoryStatus": "Completed",
      "signedAt": "2021-09-10T13:10:26.000+07:00"
    }
  ],
  "documentStatus": "Completed",
  "urlDocument":
"https://stg-sign.privy.id/doc/9fc38ba11a7997af89afa7ba25e292174085e6ca407e363dd8a9f5d0f64f23ba",
  "download": {
    "url":
"https://stg-core.privy.id/document/o2Y06wj8p0-04949395-0487-43d6-9c0f-b65e79b96382?Expires=1631255239&Signature=odn9T9ovN3tQEJnxjIHfblovcDBCXLKzBR6Ve0r2gpO6%2FBnhQ52V1V7bR%2FaY9JeFqp4LErxI2YEHw4mBs"
  }
}
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730		Revision: 00
	helpdesk@privy.id www.privy.id		Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

```
G44%2FWE8hGxLDtRprxmQ8%2BDUeYOmc3csfXc8c3nKmb3bFGnMMfV8BEbBfzcOxRX
pjeyxo3pq%2Fb2BGfO1N72n%2FxZvRgFSyd5Jzh%2FfSTba6qdg67euZvsz6Ww3Xsl
q2Zq%2BJ9UH8YD9OPvzQw5ZBI5hEMz%2F%2FCuPx2TUDvUj2QS0xGGS%2FsuDTFW34
KVIjxYS%2BduZAGoShG0dzu4pdA%2B8%2FNXDGLV5QNDUjTsknep5NuvqsjYJrfTzZ
qUeDk1KHiFmJj%2B670sL4Q%3D%3D",
    "expiredAt": "2021-09-10T06:25:24+00:00"
  },
},
"message": "Successfully get a status document"
}
```

2. Success - Document In Progress

```
{
  "code": 200,
  "data": {
    "title": "Example Document",
    "docToken":
"4b7834b797bdc12047795a15e08860639668b03025121326ae4534934f8879b6"
  },
  "recipients": [
    {
      "privyId": "UAT001",
      "type": "Signer",
      "signatoryStatus": "In Progress",
      "signedAt": null
    },
    {
      "privyId": "UAT002",
      "type": "Signer",
      "signatoryStatus": "In Progress",
      "signedAt": null
    }
  ],
  "documentStatus": "In Progress",
  "urlDocument":
"https://stg-sign.privy.id/doc/4b7834b797bdc12047795a15e0886063966
8b03025121326ae4534934f8879b6"
},
  "message": "Successfully get a status document"
}
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

3. Invalid document token

```
{
  "code": 404,
  "errors": [],
  "message": "Unable to find docToken
9520596c9621853f3a3463e6ec065cb7coo32ecc7c3afff86910dee4acf216c7"
}
```

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

9. Callback

Callback Event Registration Status

This documentation shows a response after the registration is completed. To get a registration callback, the merchant is expected to provide a webhook that allows external services to be notified when a document status event occurs. The webhook URL should be static, and secured with credential, either bearer token or basic auth username and password.

If the merchant uses a callback service for registration and document status events, one webhook URL can be used for both. Privy system will only send to one webhook URL while both callback services will be differentiated by the **event-name** parameter in our payload.

Status description

1. **Invalid** : user is rejected by privy and can be verified if user sends supporting data
2. **Rejected** : user is rejected by privy and cannot be verified again, because the document sent does not meet the requirements. User need to register again with another document or another identity card.

Example reason with rejected status : identity card can be found on the internet, ID number on identity card and supporting document (family card) not found.

3. **Verified** : user has been successfully verified by privy
4. **Registered** : user has been registered on privy

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

Payload

Parameter's name	Type	Example	Description
eventName	String	register	Name of event
message	String	User Verified	Message of event
data	Object[]		Array of registrant's data
privyId	String	PU9118	Registrant's privyId
userId	String	12345	Registrant's userId
email	String	puji@privy.id	Registrant's email
phone	String	+628898767890	
processedAt	String	2019-01-28 17:20:29 +0700	Time of registration processed
userToken	String	eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpZCI6ImFyY2hpZS5zdXJ5YUBtcG0tZmluYW5jZS5jb20iLCJleHAiOiE1NDkyNjM2MDJ9.Xc6SeSKSc5eHoyrGoHbJWrv-xt_xz89Bu3IKliqURtw	Registrant's unique token
status	String	verified	Status of registration
identity	Object[]		Array of registrant's identity
nama	String	Nama Example	Registrant's name
nik	String	12345676789098776	Registrant's national number
tanggalLahir	String	1991-06-30	Registrant's birth date

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

tempatLahir	String	Mekar Sari	Registrant's birth place
-------------	--------	------------	--------------------------

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

Example Payload

1. Verified

```
{
  "eventName": "register",
  "data": {
    "privyId": "AB1234",
    "email": "example@mail.com",
    "phone": "+6285111222333",
    "processedAt": "2021-02-22 12:28:42 +0700",
    "userToken":
"46e07a0e078b3f88f51983d4333c9734eae49829cc59d6da438f187f1beaa1e5",
    "status": "verified",
    "identity": {
      "nama": "Rachmi",
      "nik": "4782980193748798",
      "tanggalLahir": "1994-02-09",
      "tempatLahir": "Korea Selatan"
    }
  },
  "message": "Data Verified"
}
```

2. Invalid

```
{
  "eventName": "register",
  "data": {
    "privyId": null,
    "email": "a@gmail.com",
    "phone": "+62853565466435",
    "processedAt": "2021-02-11 10:36:38 +0700",
    "userToken":
"3aa965c93935c22b67d07918027577ddfe0078a6e1b1838d50550a4525b5f317",
    "status": "invalid",
    "reject": {
      "code": "PRVK002",
      "reason": "Foto KTP yang diunggah tidak dapat terbaca (mis. gambar kabur, kecil, dll.)",
      "handlers": [
        {
          "category": "KTP",
          "handler": "Foto KTP/Resi e-KTP/e-KTP",
          "file_support": []
        }
      ]
    }
  }
}
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

```

    }
  ]
}
},
"message": "Data Rejected",
"urlReregister":
"https://stg-app.privy.id/main/updateregister/3aa965c93935c22b67d07918027577d
dfe0078a6e1b1838d50550a4525b5f317?files=&handler=ktp"
}

```

3. Rejected

```

{
  "eventName": "register",
  "data": {
    "privyId": null,
    "email": "lagi@yahoo.com",
    "phone": "+6287287189711",
    "processedAt": "2021-08-12 18:22:17 +0700",
    "userToken":
    "5fad8b37a2a6b1f9c801c39b77841c57ac707e6dad2aa2782b0e82e6d5f9cf54",
    "status": "rejected",
    "reject": {
      "code": "PRVK014",
      "reason": "KTP diragukan keabsahannya",
      "handlers": []
    }
  },
  "message": "Data Rejected"
}

```

4. Registered

```

{
  "eventName": "register",
  "data": {
    "privyId": "AB1234",
    "email": "dnd@gmail.co",
    "phone": "+6288220195086",
    "processedAt": "2021-02-15 16:00:53 +0700",
    "userToken":
    "d1calc6c3b6ca8ebfd1cbc7f72d3be34b39e89936bce4fa49027a3eccae290cc",
    "status": "registered",
    "identity": {
      "nama": "Rachmi",
      "nik": "4782980193748798",

```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

```

"tanggalLahir": "1994-02-09",
"tempatLahir": "Korea Selatan",
"alamat": {
  "provinsi": "Daerah Istimewa Yogyakarta",
  "kabupaten": "Sleman",
  "kecamatan": "Ngemplak",
  "kelurahan": "Bimomartani",
  "kodepos": "55584",
  "rtrw": "001/005",
  "alamatLengkap": "Kaliburung"
}
},
"message": "Data has been registered"
}

```

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

Callback Event Document Status

This documentation shows a response after the document is completed. To get a callback registration, the merchant is expected to provide a webhook that allows external services, to be notified when a document status event occurs.

Merchants can choose to get payload without or with a download URL. URL download has an expiration time of 15 minutes. Merchants can still download documents by hitting API Check Document Status if it's been more than 15 minutes.

Status description

Status Registration	Description
Completed	Document status that has been signed.

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

Payload

Parameter's name	Type	Example	Description
eventName	String	document-completed	Name of event
data	Object[]		Array of signer data and document status
docTitle	String	tes callback	Document's title
docToken	String	10e654e3adfc566b3488a3bbca6bd32940c7d288f3711b6f9db4fe3e067e5a15	Document's token
recipients	Object[]		Array of recipient data and signatory status
privyId	String	MO2025	Recipient's PrivyID
type	String	<u>Signer</u>	Recipient's role on the document, example : Signer, Reviewer.
signatoryStatus	String	Completed	Recipient's signatory status on the document, example : Completed and In progress
documentStatus	String	Completed	Document sign status, example : Completed and In Progress
download	Object[]		Array of url download and url expiry time
url	String	http://stg-core.privy.id/document/5IYUA4Wmcf-a85d714c-6ef7-4e3d-a16e-57da9de14083	url for download document
expiredAt	String	2019-05-03T07:08:33+00:00	Url expiry time

	PRIVY IDENTITAS DIGITAL	No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id	Revision: 00
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature	Date: 09 June 2021 <i>Restricted Document</i>

message	String	Document has been completed	Message of event
---------	--------	-----------------------------	------------------

Example Payload

1. Every document completed without URL download

Merchant will get a notification when the document has been completed and get a URL to download the document.

```
{
  "eventName": "document-completed",
  "data": {
    "docTitle": "tes callback",
    "docToken":
"532fcb9100c96fcfb53d1c9d61ed0036816e3238da2f2889023b9812ccc792b8",
    "recipients": [
      {
        "privyId": "UAT001",
        "type": "Reviewer",
        "signatoryStatus": "Completed"
      }
    ],
    "documentStatus": "Completed"
  },
  "message": "Document has been completed" }
```

	PRIVY IDENTITAS DIGITAL		No. Form: 005/1/API/TD-IT/PID/VI/2021
	Jl. Kemang Raya No. 15 C, Lantai 4, Bangka, Mampang Prapatan, Jakarta Selatan 12730 helpdesk@privy.id www.privy.id		Revision: 00
			Date: 09 June 2021
	PrivyID API Documentation API Signing non RA v1.1 - Placement Signature		<i>Restricted Document</i>

2. Every document completed with URL download

Merchant will get a notification when the document has been completed and get a URL to download the document.

```
{
  "eventName": "document-completed",
  "data": {
    "docTitle": "tes callback",
    "docToken":
"4fb0f23ede0c68c8b1aa7fc56b1c0747170c3d1a8641ce8127ca37ca81c9232c",
    "recipients": [
      {
        "privyId": "UAT001",
        "type": "Reviewer",
        "signatoryStatus": "Completed"
      }
    ],
    "documentStatus": "Completed",
    "download": {
      "url":
"http://stg-core.privy.id/document/osnPbRbbZ2-187b7248-4ee5-40fa-91ab-f1e76875b2aa",
      "expiredAt": "2019-05-03T08:04:48+00:00"
    }
  },
  "message": "Document has been completed"
}
```